		<u> </u>
	Application No.	Applicant(s)
	10/719,817	CULLITON ET AL.
Notice of Allowability	Examiner	Art Unit
	Kimberly E. Glenn	2817
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 7/25/05.		
2. The allowed claim(s) is/are <u>1-19</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>		
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>		
2. Certified copies of the priority documents have been received in Application No		
3.   Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
	·	
Attachment(s)		
1. Motice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application (PTO-152)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	Paper No./Mail Date 8), 7. ⊠ Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9. Other	

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Sinnema on 9/30/05.

The application has been amended as follows:

17 (Currently Amended) The 4-way power splitter/combiner circuit of claim 16 [15] further comprising an amplifier.

The following is an examiner's statement of reasons for allowance: With regards to claims 1-10 and 12-15, the prior art of record the prior art of record does not disclose or fairly teach the fraction of power provided to each of said amplifiers is 1/N where N is the number of operative amplifiers. With regards to claim 11, the prior art of record does not disclose or fairly teach—the impedance transformer segment having specific impedance such 59.46 ohms. With regards to claim 19, the prior art of record does not disclose or fairly teach the N amplifier input ports being configured to accommodate at least one of N RF amplifiers installed in the splitter/combiner circuit in a predetermined sequence, the at least one splitter impedance transformation network being characterized by at least one predetermined electric length and configured to provide

Art Unit: 2817

each of the installed N - RF amplifiers with an RF amplifier input signal having an amplifier input signal power that is substantially equal to the signal power of a common input port signal divided by N, whereby N is an integer value between one and four inclusively.

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Jones US Patent 4,311,965, Sager et al US Patent 5,264,810, Cronauer et al US Patent 4,893,093, Kumar et al US Patent 4,439,744, Harrington US Patent 4,439,740 and White et al US Patent 6,744,312.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly E. Glenn whose telephone number is (571)-272-1761. The examiner can normally be reached on Monday-Friday 7:30 to 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571)-272-1769. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2817

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Kimberly E Glenn Examiner

Page 4

Art Unit 2817

keg

Supervisory Patent Examiner Technology Center 2800°